

Subprograms

In Text: Chapter 9

Parameters that are subroutines

- In some situations, subroutine names can be sent as parameters to other subroutines
- Only the transmission of computation is necessary, which could be done by passing a functional pointer

N. Meng, S. Arthur

2

Two complications with subroutine parameters

- Are parameters type checked?
 - Early Pascal and FORTRAN 77 do not type check
 - Later versions of Pascal, Modula-2, and FORTRAN 90 do
 - C and C++ do

N. Meng, S. Arthur

3

Two complications with subroutine parameters (cont'd)

- What referencing environment should be used for executing the passed subroutine?
 - The environment of the call statement that *enacts* the passed subroutine (**shallow binding**)
 - The environment of the *definition* of the subroutine (**deep binding**)
 - The environment of the call statement that *passed* it as an actual parameter (**ad hoc binding**)

N. Meng, S. Arthur

4

```
function sub1() {
  var x;
  function sub2() {
    alert(x);
  };
  function sub3() {
    var x;
    x = 3;
    sub4(sub2);
  };
  function sub4(subx) {
    var x;
    x = 4;
    subx();
  };
  x = 1;
  sub3();
};
```

An Example

- For shallow binding, the referencing environment of sub2 is sub4
- For deep binding, the referencing environment of sub2 is sub1
- For ad hoc binding, the referencing environment of sub2 is sub3

N. Meng, S. Arthur

5

What is the output of alert(x)?

- Shallow binding?
- Deep binding?
- Ad hoc binding?

N. Meng, S. Arthur

6

Referencing Environment for Subroutine Parameters

- Deep binding and ad hoc binding can be the same when a subroutine is declared and passed by the same subroutine
- In reality, ad hoc binding has never been used
- Static-scoped languages usually use deep binding
- Dynamic-scoped languages usually use shallow binding

N. Meng, S. Arthur

7

Design Issues for Functions

- Are side effects allowed?
 - Ada requires in-mode parameters, and does not allow any side effect
 - Most languages support two-way parameters, and thus allow functions to cause side effects

N. Meng, S. Arthur

8

Design Issues for Functions (cont'd)

- What types of values can be returned?
 - FORTRAN, Pascal, and Modula-2: only simple types
 - C: any type except functions and arrays
 - Ada: any type (but subroutines are not types)
 - JavaScript: functions can be returned
 - Python, Ruby and functional languages: methods are objects that can be treated as any other object

N. Meng, S. Arthur

9

Overloaded Subroutine

- A subroutine that has the same name as another subroutine in the same referencing environment, but its number, order, or types of parameters must be different
 - E.g., `void fun(float);`
`void fun();`
- C++ and Ada have overloaded subroutines built-in, and users can write their own overloaded subroutines

N. Meng, S. Arthur

10

Generic Subroutine

- A generic or polymorphic subroutine takes parameters of different types on different activations
- An example in C++


```
template<class Type>
Type max(Type first, Type second) {
    return first > second ? first: second;
}
int a, b, c;
char d, e, f;
...
c = max(a, b);
f = max(d, e);
```

N. Meng, S. Arthur

11

Generic Subroutine (cont'd)

- Overloaded subroutines provide a particular kind of polymorphism called **ad hoc polymorphism**
 - Overloaded subroutines need not behave similarly
- **Parametric polymorphism** is provided by a subroutine that takes generic parameters to describe the types of parameters
- Parametric polymorphic subroutines are often called generic subroutines

N. Meng, S. Arthur

12

Coroutine

- A special kind of subroutine. Rather than the master-slave relationship, the caller and callee coroutines are on a more equal basis
- A **coroutine** is a subroutine that has multiple entry points, which are controlled by coroutines themselves

N. Meng, S. Arthur

13

Coroutine

- The first execution of a coroutine begins at its beginning, but all subsequent executions often begin at points other than the beginning
- Therefore, the invocation of a coroutine is named a **resume**
- Typically, coroutines repeatedly resume each other, possibly forever
- Their executions interleave, but do not overlap

N. Meng, S. Arthur

14

An Example

- The first time co1 is resumed, its execution begins at the first statement, and executes down to resume(co2) (with the statement included)
- The next time co1 is resumed, its execution begins at the first statement after resume(co2)
- The third time co1 is resumed, its execution begins at the first statement after resume(co3)

```
sub co1() {
  ...
  resume(co2);
  ...
  resume(co3);
}
```

N. Meng, S. Arthur

15

Coroutine

- The interleaved execution sequence is related to the way multiprogramming operating systems work
 - Although there may be one processor, all of the executing programs in such a system appear to run concurrently while sharing the processor
 - This is called **quasi-concurrency**
- Coroutines provide quasi-concurrent execution of program units

N. Meng, S. Arthur

16