Requirements Analysis

Overview

- What is requirement?
- Classification of requirements
- Iterative and evolutionary requirements analysis
- Use Cases

N. Meng, B. Ryder

Requirements

- Definition [LAR]
 - Capabilities and conditions to which the system—and more broadly, the project much conform
- Focusing on the WHAT not the HOW

N. Meng, B. Ryder

3

Requirements Analysis Is Hard

- · Major causes of project failures
 - Incomplete requirements
 - Changing requirements
 - Poor user input
- Essential solutions
 - Classification of requirements
 - Iterative and evolutionary requirements analysis
 - Use Cases

N. Meng, B. Ryder

Classification of Requirements

- Functional: features, capabilities, security
 - "The system reads employee records and prints paychecks"
 - All other regs are non-functional
- Usability: human factors, help, documentation
 - "Text on the display must be visible from 1 meter."

N. Meng, B. Ryder

5

Classification of Requirements

- Reliability: frequency of failure, recoverability, predictability
 - "When doing search, the radar should have 28 hours MTBF(mean time between failures)"
- Performance: response times, throughput, accuracy, availability, resource usage
 - "The server response time is <1 sec for 90% of the accesses"</p>

N. Meng, B. Ryder

Classification of Requirements

- Supportability: adaptability, maintainability, internationalization, configurability
 - "The system should allow frequent and easy changes in the network configuration"
- Implementation: resource limitations, languages, tools, hardware
 - "Must use Linux and Java"

N. Meng, B. Ryder

7

Iterative and Evolutionary Requirements Analysis

- Motivation
 - 20-50% of the original reqs change because of miscommunication or changing business needs
- Strategies
 - 10-20% of the most architecturally significant, risky, and high-business-value requirements are specified before the initial implementation
 - The short duration of iterations allows quick adaptation and increments of regs.

N. Meng, B. Ryder

Requirements Elicitation

- Brainstorming
 - Gather stakeholders, collect ideas and prune
- Interviewing
 - Formal or informal interviews with stakeholders
- Ethnography
 - A social scientist observes and analyzes how people actually work
- Strawman/Prototype
 - GUI, flow charts of UIs

N. Meng, B. Ryder

9

Requirements Analysis in the UP

- Major artifacts: Use Cases and Supplementary Specification
 - Use Cases: functional requirements
 - Supplementary specification: non-functional requirements

N. Meng, B. Ryder

How to do iterative requirement analysis?

- Inception, 2 days
 - Identify names of use cases and features, and key non-functional requirements
 - 10% are analyzed in detail due to high-risk, high-business-value, and architecture significance
- Iteration planning meeting
 - Choose a subset of the 10% for implementation, break them down to detailed iteration tasks

N. Meng, B. Ryder

11

Possible Timeline

- Elaboration, iteration #1, 4 weeks
 - Design, implement, and test selected features
 - Demo it to collect feedback
 - Pick another 10-15% to analyze in detail (2 days)
- Iteration planning meeting
- Elaboration, iteration #2, 4 weeks
 - Repeat iteration #1

... ...

• Elaboration, iteration #4, 4 weeks

N. Meng, B. Ryder

At the end of Elaboration, ...

- 80-90% use cases are analyzed and written in detail
- 10% implementation done
- Other phases do very little work on use cases

N. Meng, B. Ryder

13

Definitions—Stakeholders

- People who support, benefit from, or are affected by a software project
 - Managers
 - Communicators
 - Software engineers
 - Maintainers
 - System administrators
 - Users
 - Customers

N. Meng, B. Ryder

Definitions

- <u>Use case</u> is a story of using the system to fulfill stakeholder goals
 - It is a text document, not a diagram
 - Its name usually contains a verb
- <u>Use-Case Model:</u> the set of all written use cases
- <u>Use-Case Modeling:</u> primarily an act of writing text, not drawing diagrams

N. Meng, B. Ryder

15

Use Cases

The Role of Use Cases

- The most widely used approach for capturing requirements
- Input to many subsequent activities and artifacts

N. Meng, B. Ryder

17

Running example: <u>point-of-sale</u> (<u>POS) system</u> [LAR]

· Process Sale use case

A customer arrives at a checkout with items to purchase. The cashier uses the POS system to record each purchased item. The system presents a running total and line-item details. The customer enters payment information, which the system validates and records. The system updates inventory. The customer receives a receipt from the system.

N. Meng, B. Ryder

Who Are The Stakeholders?

- Customer
- Cashier
- Store
- · Government tax agencies
- Credit card company

N. Meng, B. Ryder

19

Terms Relevant to Use Cases

- · Actor: Something with behavior
 - Person, computer system, organization
- Scenario (use case instance)
 - a specific sequence of actions and interactions between actors and the system
- Use case: a collection of related success and failure scenarios that describe an actor using the system to support a goal

N. Meng, B. Ryder

Three Kinds of Actors

- Primary actor: uses the system to fulfill goals
 - E.g., cashier
 - Why? To find user goals and drive use cases
- Supporting actor: provides a service to the system
 - E.g., Tax agencies, credit card company, store
 - Why? To clarify external interfaces and protocols
- Offstage actor: has an interest in the behavior
 - E.g., Customer
 - Why? To ensure that all necessary interests are identified and satisfied

N. Meng, B. Ryder

21

Handle Returns use case

- Main Success Scenario: A customer arrives with items to return. The cashier uses POS to record each returned item and reimburse...
- Alternative Scenarios:
 - If they paid by credit, and the reimbursement transaction to their credit account is rejected, pay by cash
 - If the system detects failure to communicate with the external accounting system, ...
 - (Any other alternatives?)

N. Meng, B. Ryder

Black-Box Use Cases

- Do NOT describe the internal workings of the system
 - Only system responsibilities
 - Focus on "what" the system should do
 - Good: "The system records the sale"
 - Bad:
 - "The system writes the sale to a database"
 - "The system generates SQL INSERT statement for the sale"

N. Meng, B. Ryder

23

Levels of Formality

- Brief: one-paragraph, for the main success scenario
 - Process Sale example is brief
- Casual: multiple paragraphs that cover several scenarios
 - Handle Return example is casual
- Fully dressed: all steps and variations
 - Developed iteratively during elaboration;
 the product of requirement analysis

N. Meng, B. Ryder

Fully Dressed Use Case - Outline

Use Case UC1: Process Sale

Primary Actor: Cashier

Stakeholders and interests:

E.g., Cashier: want accurate and fast payment

Preconditions

<u>Success guarantee</u>

Main success scenario

Extensions

Special requirements

Technology and data variation List

Frequency of Occurrence

N. Meng, B. Ryder

25

Preconditions

- State what must always be true before a scenario begins in the use case
 - Often the postconditions of another use case
 - Don't bother with it unless you are stating something noteworthy
 - \bullet "The system has power" -not interesting

Preconditions: Cashier is identified and authenticated

N. Meng, B. Ryder

Success Guarantees (Postconditions)

 State what must be true on successful completion of the use case—either the success scenario or alternative ones

Success guarantee: Sale is saved. Tax is correctly calculated. Accounting and Inventory are updated. Commissions recorded. Receipt is generated.

N. Meng, B. Ryder

27

Main success scenario (Basic Flow)

- Defer all conditional and branching statements to the Extension section
- Records three kinds of steps:
 - An interaction between actors
 - A validation (usually by the system)
 - A state change by the system

Main Success Scenario:

- 1. Customer arrives at a POS checkout with items to purchase
- 2. Cashier starts a new sale
- 3. Cashier enters item identifier
- 4. System records the item, presents description and price. Price and total are calculated based on a set of rules.

Main Success Scenario: (cont'd)

Repeat 3-4 until cashier indicates done.

- 5. System presents total with tax calculated by an external Tax Calculator system.
- 6. Cashier asks Customer for payment.
- 7. Cashier enters cash amount tendered, System handles payment.
- 8. System logs completed sale and sends sale and payment information to the external Accounting system and external Inventory system.
- 9. System presents receipt.

N. Meng, B. Ryder

29

Extensions (or Alternative Flows)

- · Often comprise the majority of text
- Indicate all the other scenarios or branches, both success and failure
- Notated with respect to its corresponding steps 1..N in the main success scenario.

N. Meng, B. Ryder

Main Success Scenario:

.. ...

3. Cashier enters item identifier

... ..

Extensions:

- 3a. Invalid identifier
 - 1. System signals errors and rejects entry.
 - 2. Cashier responds to the error:
 - 2a. There is a human-readable item ID(e.g., a numeric UPC)
 - 1. Cashier manually enters the item ID.
 - 2. System displays description and price.

2a. Invalid item ID: System signals error. Cashier tries alternative method.

- 2b. There is no item ID, but there is a price on the tag:
- 1. Cashier asks Manager to perform an override operation.
 - 2. Manager performs override.
 - 3. Cashier manually enters the price

Special Requirements

 If a non-functional requirement relates specially to a user case, record it with the use case

Special Requirements:

- Touch screen UI on a large flat panel monitor.
 Text much be visible from 1 meter.
- Credit authorization response within 30 seconds 90% of the time.
- Robust recovery when access to remote Inventory service fails
- Language internationalization on the text

Technology and Data Variations List

- Technical variations in "how" something must be done
 - Early design decisions or constraints
 - Technical constraint imposed by stakeholders about input/output technologies.
 - Try to avoid premature design decisions unless they are obvious or unavoidable
- Data scheme variations necessary to understand

N. Meng, B. Ryder

33

Technology and Data Variations List:

- 3a. Item identifier entered by laser scanner or keyboard.
- 3b. Item identifier may be any UPC, EAN, JAN, or SKU coding scheme.
- 7a. Credit account information entered by card reader or keyboard.
- 7b. Credit payment signature captured on paper receipt. But within two years, we predict many customers will want digital signature capture.

N. Meng, B. Ryder

Homework: Withdraw Money from ATM

Customer inserts a card to ATM. The ATM prompts to enter password. Customer enters a password. ATM validates the customer and presents options "check balance", "withdraw", "transfer". Customer indicates withdraw and enters the amount to withdraw. ATM validates the amount, debits the account, and charges process fee if necessary. ATM delivers money and receipt. Customer indicates log off. ATM pops up the card for customer to take away.

N. Meng, B. Ryder

35

Questions to Answer

- Who are the actors?
- What is the casual use case description (one success scenario + at least three alternative scenarios)
- What are some non-functional requirements? (at least two)

N. Meng, B. Ryder

Policy

- You are allowed to discuss about the problem and solution at high level
- Don't produce duplicated reports
- Deadline: 09/16/2015

N. Meng, B. Ryder