

## Requirements Analysis in the UP

- Major artifacts: **Use Cases** and **Supplementary Specification**
  - Use Cases: functional requirements
  - Supplementary specification: non-functional requirements

N. Meng, B. Ryder

10

## How to do iterative requirement analysis?

- **Inception**, 2 days
  - Identify names of use cases and features, and key non-functional requirements
  - 10% are analyzed in detail due to high-risk, high-business-value, and architecture significance
- **Iteration planning meeting**
  - Choose a subset of the 10% for implementation, break them down to detailed iteration tasks

N. Meng, B. Ryder

11

## Possible Timeline

- **Elaboration**, iteration #1, 4 weeks
  - Design, implement, and test selected features
  - Demo it to collect feedback
  - Pick another 10-15% to analyze in detail (2 days)
- Iteration planning meeting
- **Elaboration**, iteration #2, 4 weeks
  - Repeat iteration #1
- ... ..
- **Elaboration**, iteration #4, 4 weeks

N. Meng, B. Ryder

12

## At the end of Elaboration, ...

- 80-90% of use cases are analyzed and written in detail
- 10% implementation done
- Other phases do very little work on use cases

N. Meng, B. Ryder

13

## Definitions—Stakeholders

- People who support, benefit from, or are affected by a software project
  - Managers
  - Communicators
  - Software engineers
  - Maintainers
  - System administrators
  - Users
  - Customers

N. Meng, B. Ryder

14

## Definitions

- Use case is a story of using the system to fulfill stakeholder goals
  - It is a **text document**, not a diagram
  - Its name usually contains a verb
- Use-Case Model: the set of all written use cases
- Use-Case Modeling: primarily an act of **writing text**, not drawing diagrams

N. Meng, B. Ryder

15

# Use Cases

## The Role of Use Cases

- The use-case modeling is the most widely used approach for capturing requirements
- Input to many subsequent activities and artifacts

## Running example: point-of-sale (POS) system [LAR]



- **Process Sale** use case

A customer arrives at a checkout with items to purchase. The cashier uses the POS system to record each purchased item. The system presents a running total and line-item details. The customer enters payment information, which the system validates and records. The system updates inventory. The customer receives a receipt from the system.

N. Meng, B. Ryder

18

## Who Are The Stakeholders?

- Customer
- Cashier
- Store
- Government tax agencies
- Credit card company

N. Meng, B. Ryder

19

## Terms Relevant to Use Cases

- Actor: Something with behavior
  - Person, computer system, organization
- Scenario (use case instance)
  - a specific sequence of actions and interactions between actors and the system
- Use case: a collection of related success and failure scenarios that describe an actor using the system to support a goal

N. Meng, B. Ryder

20

## Three Kinds of Actors

- Primary actor: uses the system to fulfill goals
  - E.g., cashier
  - Why? To find user goals and drive use cases
- Supporting actor: provides a service to the system
  - E.g., Tax agencies, credit card company, store
  - Why? To clarify external interfaces and protocols
- Offstage actor: has an interest in the behavior
  - E.g., Customer
  - Why? To ensure that all necessary interests are identified and satisfied

N. Meng, B. Ryder

21

## *Handle Returns* use case

- **Main Success Scenario:** A customer arrives with items to return. The cashier uses POS to record each returned item and reimburse...
- **Alternative Scenarios:**
  - If they paid by credit, and the reimbursement transaction to their credit account is rejected, pay by cash
  - If the system detects failure to communicate with the external accounting system, ...
  - (Any other alternatives?)

N. Meng, B. Ryder

22

## Black-Box Use Cases

- Do **NOT** describe the internal workings of the system
  - Only system responsibilities
  - Focus on "what" the system should do
  - Good: "The system records the sale"
  - Bad:
    - "The system writes the sale to a database"
    - "The system generates SQL INSERT statement for the sale"

N. Meng, B. Ryder

23

## Levels of Formality

- Brief: one-paragraph, for the main success scenario
  - Process Sale example is brief
- Casual: multiple paragraphs that cover several scenarios
  - Handle Return example is casual
- Fully dressed: all steps and variations
  - Developed iteratively during elaboration; the **product** of requirement analysis

N. Meng, B. Ryder

24

## Fully Dressed Use Case - Outline

Use Case UC1: Process Sale

**Primary Actor:** Cashier

**Stakeholders and interests:**

E.g., Cashier: want accurate and fast payment

**Preconditions**

**Success guarantee**

**Main success scenario**

**Extensions**

**Special requirements**

**Technology and data variation List**

**Frequency of Occurrence**

N. Meng, B. Ryder

25



## Preconditions

- State what **must always** be true before a scenario begins in the use case
  - Often the postconditions of another use case
  - Don't bother with it unless you are stating something noteworthy
    - "The system has power" -not interesting

**Preconditions:** Cashier is identified and authenticated

## Success Guarantees (Postconditions)

- State what **must** be true on successful completion of the use case—either the success scenario or alternative ones

**Success guarantee:** Sale is saved. Tax is correctly calculated. Accounting and Inventory are updated. Commissions recorded. Receipt is generated.

## Main success scenario (Basic Flow)

- Defer all conditional and branching statements to the Extension section
- Records three kinds of steps:
  - An interaction between actors
  - A validation (usually by the system)
  - A state change by the system

### Main Success Scenario:

1. Customer arrives at a POS checkout with items to purchase
2. Cashier starts a new sale
3. Cashier enters item identifier
4. System records the item, presents description and price.  
Price and total are calculated based on a set of rules.

### Main Success Scenario: (cont'd)

*Repeat 3-4 until cashier indicates done.*

5. System presents total with tax calculated by an external Tax Calculator system.
6. Cashier asks Customer for payment.
7. Cashier enters cash amount tendered, System handles payment.
8. System logs completed sale and sends sale and payment information to the external Accounting system and external Inventory system.
9. System presents receipt.

## Extensions (or Alternative Flows)

- Often comprise the majority of text
- Indicate all the other scenarios or branches, both success and failure
- Notated with respect to its corresponding steps 1..N in the main success scenario.

N. Meng, B. Ryder

30

### Main Success Scenario:

... ..

3. Cashier enters item identifier

... ..

### Extensions:

3a. Invalid identifier

1. System signals errors and rejects entry.

2. Cashier responds to the error:

2a. There is a human-readable item ID(e.g., a numeric UPC)

1. Cashier manually enters the item ID.

2. System displays description and price.

2a. Invalid item ID: System signals error. Cashier tries alternative method.

2b. There is no item ID, but there is a price on the tag:

1. Cashier asks Manager to perform an override operation.

2. Manager performs override.

3. Cashier manually enters the price

## Special Requirements

- If a non-functional requirement relates specially to a user case, record it with the use case

### Special Requirements:

- Credit authorization responds within 30 seconds 90% of the time.
- Robustly recover the system when access to remote Inventory service fails

N. Meng, B. Ryder

32

## Technology and Data Variations List

- Technical variations in "how" something must be done
  - Early design decisions or constraints
    - Technical constraint imposed by stakeholders about input/output technologies.
  - Try to avoid premature design decisions unless they are obvious or unavoidable
- Data scheme variations necessary to understand

N. Meng, B. Ryder

33

**Technology and Data Variations List:**

- 3a. Item identifier is entered by laser scanner or keyboard.
- 3b. Item identifier may be any UPC, EAN, JAN, or SKU coding scheme.
- 7a. Credit account information is entered by card reader or keyboard.
- 7b. Credit payment signature is captured on paper receipt. But within two years, we predict many customers will want digital signature capture.

**Homework: Withdraw Money from ATM**

Customer inserts a card to ATM. The ATM prompts to enter password. Customer enters a password. ATM validates the customer and presents options "check balance", "withdraw", and "transfer". Customer indicates withdraw and enters the amount to withdraw. ATM validates the amount, debits the account, and charges process fee if necessary. ATM delivers money and receipt. Customer indicates log off. ATM pops up the card for customer to take away.

## Questions to Answer

- Who are the actors?
- What is the casual use case description? (one success scenario + at least three alternative scenarios)
- What are some non-functional requirements? (at least two)

N. Meng, B. Ryder

36

## Who are the actors ?

- Customer
- Card issuer bank
  - May charge foreign fee/transaction fee
  - Overdraft fee
- ATM owner bank
  - May charge surcharge fee
  - Electronic Funds Transfer, ACH the funds later

N. Meng, B. Ryder

37

## Policy

- You are allowed to discuss about the problem and solution at high level
- Don't produce duplicated reports
- Deadline: 09/30/2019