

CS 3824

Homework Assignment 4

Given: October 2, 2014

Due: October 25, 2014

General directions. The point value of each problem is shown in []. Each solution must include all details and an explanation of why the given solution is correct. In particular, write complete sentences. A correct answer without an explanation is worth no credit. The completed assignment must be turned in as a PDF through Scholar by 5:00 PM on October 25, 2014. **No late homework will be accepted.**

Digital preparation of your solutions is mandatory. Use of L^AT_EX is optional, but encouraged. No matter how you prepare your homework, **please include your name.**

Use of L^AT_EX (optional, but encouraged).

- Retrieve this L^AT_EX source file, named `homework4.tex`, from the course web site.
 - Rename the file `<Your VT PID>_solvehw4.tex`, For example, for the instructor, the file name would be `heath_solvehw4.tex`.
 - Use a **text editor** (such as `vi`, `emacs`, or `pico`) to accomplish the next three steps.
 - Uncomment the line

```
% \setboolean{solutions}{True}
```

in the document preamble by deleting the %.
 - Find the line

```
\renewcommand{\author}{Lenwood S. Heath}
```

and replace the instructor's name with your name.
 - Enter your solutions where you find the L^AT_EX comments

```
% PUT YOUR SOLUTION HERE
```
 - Convert your solutions to PDF and submit your solutions through Scholar by 5:00 PM on October 25, 2014.
-

[50] 1. Knuth-Morris-Pratt.

Let

$$P = \text{CGATTTCGATTTCGATACG}$$

be a pattern string, and let

$$T = \text{TACGATTTCGATTTCGATACGATTACGATTTCGATTTCGATACGACG}$$

be a text string. Here, $m = 17$ and $n = 43$.

- A. Use the COMPUTE-PREFIX-FUNCTION algorithm discussed in class to compute the prefix function π for all positions in P
- B. Use the KMP-MATCHER algorithm discussed in class to compute all occurrences of P in T .

Be certain to explain your work.

[50] 2. Jones and Pevzner problem 9.8.

A *repeat* in a string $S = S[1..n]$ is a substring α of S that occurs at at least two different positions in S . The occurrences may overlap, but they do not have to. Give an example of a string whose longest (exact) repeat has length 5.

Give pseudocode for the resulting algorithm to find a longest (exact) repeat in S . You may use the construction of a suffix tree for a string of your choosing as a known subroutine. Argue that your algorithm has linear worst-case time complexity.
