

Code Clones

Spiros Mancoridis[1]
Modified by Na Meng

1

Overview

- Definition and categories
- Clone detection
- Clone removal refactoring

2

2

Code Clones

- Code clone is a code fragment in source files that is identical or similar to another
- Code clones are either within a program or across different programs
- Clone pair: two clones
- Clone class: a set of fragments which are clones to each other

3

3

Code Clone Categorization

- Type-1 clones
 - Identical code fragments but may have some variations in whitespace, layout, and comments
- Type-2 clones
 - Syntactically equivalent fragments with some variations in identifiers, literals, types, whitespace, layout and comments

4

4

Code Clone Categorization

- Type-3 clones
 - Syntactically similar code with inserted, deleted, or updated statements
- Type-4 clones
 - Semantically equivalent, but syntactically different code

5

5

Key Points of Code Clones

- Pros
 - Increase performance
 - Code inlining vs. function call
 - Increase program readability
- Cons
 - Increase maintenance cost
 - If one code fragment contains a bug and gets fixed, all its clone peers should be always fixed in similar ways.
 - Increase code size

6

6

Clone Detection Strategies

- Text matching
- Token sequence matching
- Graph matching

7

7

Text Matching

- Older, studied extensively
- Less complex, and most widely used
- No program structure is taken into consideration
- Type-1 clones & some Type-2 clones
- Two types of text matching
 - Exact string match
 - Diff (cvs, svn, git) is based on exact text matching
 - Ambiguous match

8

8

Ambiguous Match

- Longest Common Subsequence match
- N-grams match

9

9

Token Sequence Matching

- A little more complex, less widely used
- No program structure is taken into account, either
- Type-1 and Type-2 clones
- CCFinder[2]
- CP-Miner[3]

10

10

CCFinder

- Step 1: Convert a program with multiple files to a single long token sequence
- Step 2: Find longest common subsequence of tokens

11

11

Step 1: Tokenization

```
int main(){  
    int i = 0;  
    static int j=5;  
    while(i<20){  
        i=i+j;  
    }  
    std::cout<<"Hello World"<<i<<std::endl;  
    return 0;  
}
```

Remove white spaces

12

12

Step 1: Tokenization

```
int main(){
int i = 0;
static int j=5;
while(i<20){
i=i+j;
}
std::cout<<"Hello World"<<i<<std::endl;
return 0;
}
```

Shorten Names

13

13

Step 1: Tokenization

```
int main (){
int i = 0;
int j = 5;
while (i < 20){
i = i + j;
}
cout << "Hello World" << i << endl;
return 0;
}
```

Tokenize literals, and identifiers of types, methods, and variables.

14

14

Step 1: Tokenization

```


$P $P(){
  $P $P = $P;
  $P $P = $P;
  while($P < $P ){
    $P = $P + $P;
  }
  $P << $P << $P << $P;
  return $P;
}

```

15

15

Step 2: Find Clones



16

16

Detected Clone Pair Example[2]

```

1. static void foo() throws RESyntaxException {
2.   String a[] = new String [] { "123,400", "abc", "orange 100" };
3.   org.apache.regexp.RE pat = new org.apache.regexp.RE("[0-9,]+");
4.   int sum = 0;
5.   for (int i = 0; i < a.length; ++i)
6.     if (pat.match(a[i]))
7.       sum += Sample.parseNumber(pat.getParen(0));
8.   System.out.println("sum = " + sum);
9. }
10. static void goo(String [] a) throws RESyntaxException {
11.   RE exp = new RE("[0-9,]+");
12.   int sum = 0;
13.   for (int i = 0; i < a.length; ++i)
14.     if (exp.match(a[i]))
15.       sum += parseNumber(exp.getParen(0));
16.   System.out.println("sum = " + sum);
17. }

```

17

17

Limitations of CCFinder

- All files are converted into a long token sequence
 - When the program contains millions of lines of code, the tool cannot perform efficiently
- Do not take into account the natural boundary between functions and classes

18

18

CP-Miner[3]

- Cut the token sequences by considering basic blocks as cutting units
- Calculate a hashcode for each subsequence
- Compare hashcode sequences instead of the original token sequences

19

19

Graph Matching

- Newer, bleeding edge
- More complex
- Type-1, Type-2, and Type-3 clones
- Syntactic and semantic understanding
 - AST matching (ChangeDistiller)
 - CFG matching (Jdiff[4])
 - PDG matching ([5])

20

20


CFG-based Clone Detection[4]

- A Differencing Algorithm for Object-Oriented Programs
 - Match declarations of classes, fields, and methods by name
 - Match content in methods by hammock graphs
 - A hammock is a single entry, single exit subgraph of a CFG

21

21


Example: Enhanced CFG comparison for P and P'



22

22

Hammock Graph Creation



23

Algorithm

- Input: hammock node n , n' , look-ahead threshold LH
- Output: set of matched pairs N
- Algorithm
 1. expand n and n' one level to graph G and G'
 2. Push start node pair $\langle s, s' \rangle$ to stack ST
 3. while ST is not empty
 4. pop $\langle c, c' \rangle$ from ST
 5. if c or c' is already matched then
 6. continue;
 7. if $\langle c, c' \rangle$ does not match then
 8. compare c with LH successors of c' or
compare c' with LH successors of c until find match
 9. if a match is found then
 10. $N = N \cup \{c, c', \text{"unchanged"}\}$
 11. else
 12. $N = N \cup \{c, c', \text{"modified"}\}$
 13. push the pair's sink node pair on stack

24

24

Observations

- The look-ahead process is like bounded LCS algorithm
 - It can tolerate statement insertions at the same level
- The algorithm starts from the outmost Hammock, so it is similar to top-down tree-differencing algorithm
- When statements are inserted at the higher level, the algorithm does not work well
 - $\langle c, c', \text{"modified"} \rangle$

25

25

PDG-based Clone Detection [5]

- Using Slicing to Identify Duplication in Source Code
 - Step 1: Partition PDG nodes into equivalence classes based on the syntactic structure, such as while-loops
 - Step 2: For each pair of matching nodes $(r1, r2)$, find two isomorphic subgraphs containing $r1$ and $r2$

26

26

Algorithm to Find Isomorphic Subgraphs

1. Start from r1 and r2, use backward slicing in lock step to add predecessors iff predecessors also match
2. If two matching nodes are loops or if-statements, forward slicing is also used to find control dependence successors (statements contained in the structure)

27

27

Example

Fragment 1:

```

while (isalpha(c) ||
      c == '_' || c == '-') {
++   if (p == token_buffer + maxtoken)
++     p = grow_token_buffer(p);
      if (c == '-') c = '_';
++   *p++ = c;
++   c = getc(fininput);
}

```

Fragment 2:


```

while (isdigit(c)) {
++   if (p == token_buffer + maxtoken)
++     p = grow_token_buffer(p);
      numval = numval*20 + c - '0';
++   *p++ = c;
++   c = getc(fininput);
}

```

28

28



29

Observations

- Pros
 - Tolerate statement reordering and some program structure changes
- Cons
 - Expensive
 - Points-to analysis
 - Do not allow ambiguous match

30

30

Summary

- Clone detection flexibility
 - PDG > CFG|AST > Token > Text
- Cost
 - Text < Token < CFG|AST < PDG

31

31

Clone Removal Refactoring

- Extract method
 - Extract the common code from different methods and create a method for it
- Pull up method
 - Pull up the duplicated method to the super class, and declare a new super class if there is none

32

32

Extract Method

The screenshot illustrates the 'Extract Method' refactoring process in Emacs. The left window shows the original code with two blocks highlighted in red:

```
int main(int argc, char** argv) {
    int x = 3;
    int y = 2;
    Socket s = opensocket(x, y);
    char buf[80] = readsocket(s, 80);
    closesocket(s);

    int xx = 47;
    int yy = 21;
    Socket ss = opensocket(xx, yy);
    char fub[50] = readsocket(ss, 50);
    closesocket(ss);

    return 0;
}
```

A red arrow points to the right window, which shows the code after refactoring. The first block has been extracted into a new method named 'getdata':

```
void getdata(int x, int y, int size, char * buf) {
    Socket s = opensocket(x, y);
    readsocket(s, buf, 80);
    closesocket(s);
}

int main(int argc, char** argv) {
    char buf[80];
    getdata(3, 2, 80, &buf);

    char fub[50];
    getdata(47, 21, 50, &fub);

    return 0;
}
```

The Emacs interface shows the file 'Context.java' and the Emacs version '33'.

33

Pull Up Method

The screenshot illustrates the 'Pull Up Method' refactoring process in Emacs. The left window shows the original code with two classes, 'Context' and 'FileContext', both having a 'reload()' method highlighted in red:

```
public class Context {
    public reload() {
        if (x > y) { System.out.println("Foo!"); }
        for (int i = 0; i < modules.length; i++) {
            modules[i].reload();
        }
    }
}

public class FileContext {
    public reload() {
        if (x > y) { System.out.println("Foo!"); }
        for (int i = 0; i < files.length; i++) {
            files[i].reload();
        }
    }
}
```

A red arrow points to the right window, which shows the code after refactoring. The 'reload()' method has been extracted into an abstract class 'AbstractContext':

```
public class AbstractContext {
    public reload() {
        if (x > y) { System.out.println("Foo!"); }
        for (int i = 0; i < modules.length; i++) {
            modules[i].reload();
        }
    }
}

public class Context extends AbstractContext {
    ...
}

public class FileContext extends AbstractContext {
    ...
}
```

The Emacs interface shows the file 'Context.java' and the Emacs version '34'.

34

Reference

- [1] Spiros Mancoridis, Code Cloning: Detection, Classification, and Refactoring, https://www.cs.drexel.edu/~spiros/teaching/CS675/slides/code_cloning.ppt .
- [2] Toshihiro Kamiya, Shinji Kusumoto, and Katsuro Inoue, CCFinder, A Multilinguistic Token-Based Code Clone Detection System for Large Scale Source Code, TSE '02
- [3] Zhenmin Li, Shan Lu, Suvda Myagmar, and Yuanyuan Zhou, CP-Miner: A Tool for Finding Copy-paste and Related Bugs in Operating System Code, OSDI '04

35

35

Reference

- [4] Taweesup Apiwattanapong, Alessandro Orso, and Mary Jean Harrold, A Differencing Algorithm for Object-Oriented Programs, ASE '04
- [5] Raghavan Komondoor, Susan Horwitz, Using Slicing to Identify Duplication in Source Code, SAS '01

36

36