

Software Process

Overview

- What is **software process**?
- Examples of process models
- Unified Process (UP)
- Agile software development

Software Process

- Definition [Pressman]
 - a framework for the tasks that are required to build high-quality software.
 - to provide stability, control and organization to an otherwise chaotic activity

N. Meng, B. Ryder

3

Code-and-Fix Process

- The first thing people tried in the 1950s
 1. Write program
 2. Improve it (debug, add functionality, improve efficiency, ...)
 3. GOTO 1
- Works for small 1-person projects and for some CS course assignments

N. Meng, B. Ryder

4


Problems with Code-and-Fix

- Poor match with user needs
- Bad overall structure - No blueprint
- Poor reliability - no systematic testing
- Maintainability? What's that?
- What happens when the programmer quits?

N. Meng, B. Ryder

5

Code-and-Fix Process




From McConnell, *After the Goldrush*, 1999

N. Meng, B. Ryder

6

A More Advanced Process



N. Meng, B. Ryder

7

Examples of Process Models


- Waterfall model
- Prototyping model
- Spiral model
- Incremental model

N. Meng, B. Ryder

8

Waterfall Model

- The "classic" process model since 1970s
 - Also called "software life cycle"



N. Meng, B. Ryder

9

Waterfall Phases

- **Analysis:** Define problems
 - requirements, constraints, goals and domain concepts
- **Design:** Establish solutions
 - System architecture, components, relationship
- **Implementation:** Implement solutions
- **Testing and integration:** Check solutions
 - Unit testing, system testing
- **Maintenance:** the longest phase

N. Meng, B. Ryder

10

Key Points of the Model

- The project goes through the phases sequentially
- Possible feedback and iteration across phases
 - e.g., during coding, a design problem is identified and fixed
- Typically, few or no iterations are used
 - e.g., after a certain point of time, the design is “frozen”

N. Meng, B. Ryder

11

Waterfall Model Assumptions

- All requirements are known at the start and stable
- Risks(unknown) can be turned into known through schedule-based invention and innovation
- The design can be done abstractly and speculatively
 - i.e., it is possible to correctly guess in advance how to make it work
- Everything will fit together when we start the integration

N. Meng, B. Ryder

12

Pros and Cons

- Pros: widely used, systematic, good for projects with well-defined requirements
 - Makes managers happy
- Cons:
 - The actual process is not so sequential
 - A lot of iterations may happen
 - The assumptions usually don't hold
 - Working programs are not available early
 - High risk issues are not tackled early enough
 - Expensive and time-consuming

When would you like to use waterfall?

- Work for big clients enforcing formal approach on vendors
- Work on fixed-scope, fixed-price contracts without many rapid changes
- Work in an experienced team

Observation

Standish group 1995


- Top three reasons for at least partial failure projects
 - lack of user input
 - incomplete requirements, and
 - changing requirements

N. Meng, B. Ryder

15

Prototyping Model

- Build a prototype when customers have ambiguous requirements



N. Meng, B. Ryder

16

Key Points of the Model

- Iterations: customer evaluation followed by prototype refinement
- The prototype can be paper-based or computer-based
- It models the entire system with real data or just a few screens with sample data
- Note: the prototype is thrown away!

N. Meng, B. Ryder

17

Pros and Cons

- Pros
 - Facilitate communication about requirements
 - Easy to change or discard
 - Educate future customers
- Cons
 - Iterative nature makes it difficult to plan and schedule
 - Excessive investment in the prototype
 - Bad decisions based on prototype
 - E.g., bad choice of OS or PL

N. Meng, B. Ryder

18

When would you like to use prototyping?


- When the desired system has a lot of interactions with users

N. Meng, B. Ryder

19

Spiral Model


- A risk-driven evolutionary model that combines development models (waterfall, prototype, etc.)



Spiral model (SOM)

20

Spiral Phases



- Objective setting
 - Define specific objectives, constraints, products, plans
 - Identify risks and alternative strategies
- Risk assessment and reduction
 - Analyze risks and take steps to reduce risks
- Development and validation
 - Pick development methods based on risks
- Planning
 - Review the project and decide whether to continue with a further loop

N. Meng, B. Ryder

21

What Is Risk?

- Something that can go wrong
 - People, tasks, work products
- Risk management
 - risk identification
 - risk analysis
 - the probability of the risk, the effect of the risk
 - risk planning
 - various strategies
 - risk monitoring

N. Meng, B. Ryder

22

Risk Planning [Sommerville]

Risk	Strategy
<input type="checkbox"/> Recruitment problems	<input type="checkbox"/> <i>Alert customer of potential difficulties and the possibility of delays, investigate buying-in-components</i>
<input type="checkbox"/> Defective components	<input type="checkbox"/> <i>Replace potentially defective components with bought-in components of known reliability</i>
<input type="checkbox"/> Requirements changes	<input type="checkbox"/> <i>Derive traceability information to assess requirements change impact, maximize information hiding in the design</i>
<input type="checkbox"/> Organizational financial problems/restructuring	<input type="checkbox"/> <i>Prepare a briefing document for senior management showing how the project is making a very important contribution to the goals of the business</i>
<input type="checkbox"/> Underestimated development time	<input type="checkbox"/> <i>Investigate buying-in components, investigate the use of a program generator</i>

N. Meng, B. Ryder

23

Key Points of the Model

- Introduce risk management into process
- Develop evolutionary releases to
 - Implement more complete versions of software
 - Make adjustment for emergent risks

N. Meng, B. Ryder

24

Pros and Cons

- **Pros**
 - High amount of risk analysis to avoid/reduce risks
 - Early release of software, with extra functionalities added later
 - Maintain step-wise approach with "go-backs" to earlier stages
- **Cons**
 - Require risk-assessment expertise for success
 - Expensive

N. Meng, B. Ryder

25

When to use the model?

- Large and mission-critical projects
- Medium to high-risk projects
- Significant changes are expected




N. Meng, B. Ryder

26

Incremental Model

- A sequential of waterfall models



N. Meng, B. Ryder

27

Key Points of the Model

- Iterative: many releases/increments
 - First increment: core functionality
 - Successive increments: add/fix functionality
 - Final increment: the complete product
- Require a complete definition of the whole system to break it down and build incrementally

N. Meng, B. Ryder

28

Pros and Cons

- Pros
 - Early discovery of software defects
 - Early delivery of working software
 - Less cost to change/identify requirements
- Cons
 - Constant changes (“feature creep”) may erode system architecture

N. Meng, B. Ryder

29

When to use the model?

- The requirements of the complete system are clear
- Major requirements must be defined while some details can evolve over time
- Need to get a product to the market early



N. Meng, B. Ryder

30

Spiral model vs. incremental model

- Iterative models
 - Most projects build software iteratively
- Risk-driven vs. client-driven



N. Meng, B. Ryder

31

Unified Process (UP)

- An example of iterative process for building object-oriented systems
 - Very popular in the last few years
 - By the same folks who develop UML
- It provides a context for our discussion of analysis and design

N. Meng, B. Ryder

32

Phases in UP

Inception	Elaboration	Construction	Transition
-----------	-------------	--------------	------------

- Inception: preliminary investigation
- Elaboration: analysis, design, and some coding
- Construction: more coding and testing
- Transition: beta tests and development
- Each phase may be enacted in an iterative way, and the whole set of phases may be enacted incrementally

N. Meng, B. Ryder

33

Iteration Length

- Iteration should be short (2-6 weeks)
 - Small steps, rapid feedback and adaptation
 - Massive teams with lots of communication - but no more than 6 months
- Iterations should be timeboxed (fixed length)
 - Integrate, test and deliver the system by a scheduled date
 - If not possible: move tasks to the next iteration

N. Meng, B. Ryder

34

Reasons for Timeboxing

- Improve programmer productivity with deadlines
- Encourage prioritization and decisiveness
- Team satisfaction and confidence
 - Quick and repeating sense of completion, competency, and closure
 - Increase confidence for customers and managers

UP Disciplines

- Discipline: an activity and related artifact(s)
- Artifact: any kind of work product
 - Requirement modeling
 - requirement analysis + use-case models , domain models, and specs.
 - Design
 - design + design models
 - Implementation
 - code

Agile Software Development

- A timeboxed iterative and evolutionary development process
- It promotes
 - adaptive planning
 - evolutionary development,
 - incremental delivery
 - rapid and flexible response to change

Any iterative method, including the UP, can be applied in an agile spirit.

The Agile Manifesto

Kent Beck et al. 2001

- We are uncovering better ways of developing software by **doing** it and helping others **do** it. Through this work we have come to value:
 - **Individuals and interactions** over Processes and tools
 - **Working software** over Comprehensive documentation
 - **Customer collaboration** over Contract negotiation
 - **Responding to change** over Following a plan

Key Points of Agile Modeling

- The purpose of modeling is primarily to understand, not to document
- Modeling should focus on the smaller percentage of unusual, difficult, tricky parts of the design space
- Model in pairs (or triads)
- Developers should do the OO design modeling for themselves
- Create models in parallel
 - E.g., interaction diagram & static-view class diagram

N. Meng, B. Ryder

39

Models are inaccurate

- Only tested code demonstrates the true design
- Treat diagrams as throw-away explorations
- Use the simplest tool possible to facilitate creative thinking
 - E.g., sketching UML on whiteboards
- Use “good enough” simple notation

N. Meng, B. Ryder

40

Agile Methods

- Agile Unified Process (Agile UP)
- Dynamic systems development method (DSDM)
- Extreme programming (XP)
- Feature-driven development (FDD)
- Scrum

N. Meng, B. Ryder

41

Agile UP

- Keep it simple
 - Prefer a small set of UP activities and artifacts
 - Avoid creating artifacts unless necessary
- Planning
 - For the entire project, there is only a high-level plan (Phase Plan), to estimate the project end date and other major milestones
 - For each iteration, there is a detailed plan (Iteration plan) created one iteration in advance

N. Meng, B. Ryder

42

Pros and Cons

- **Pros**
 - Customer satisfaction by rapid, continuous delivery of useful software
 - Close, daily cooperation between business people and developers
 - Better software quality and lower cost
- **Cons**
 - People may lose sight of the big picture
 - Heavy client participation is required
 - Poor documentation support for training of new clients/programmers

N. Meng, B. Ryder

43

When to use agile methods?

- Changing requirements
- Faster time to market and increased productivity
- Frequently used in start-up companies



N. Meng, B. Ryder

44