

The C++ Language

Language Overview

Brief History of C++

- Derives from the C programming language by Kernighan and Ritchie
- Created and developed by Bjarne Stroustrup in the 1980s
- Standardized in 1998
- Added object-oriented features, additional safety, new standard library features, and many other features to C

The C++ Compiler



- The *preprocessor* ...
 - Incorporates standard C++ features into your computer program.
 - Interprets *directives* given by the C++ programmer

3

Language Basics - Struble

C++ Program Structure

Source File (.cpp)

Directives

main program (or function)

4

Language Basics - Struble

A C++ Program: Miles to Kilometers

```
// This program converts miles to kilometers.
// From Problem Solving, Abstraction, & Design Using C++
// by Frank L. Friedman and Elliot B. Koffman
#include <iostream>
using namespace std;

int main() {
    const float KM_PER_MILE = 1.609; // 1.609 km in a mile
    float miles, // input: distance in miles
           kms; // output: distance in kilometers
    // Get the distance in miles
    cout << "Enter the distance in miles: ";
    cin >> miles;
    // Convert the distance to kilometers and display it.
    kms = KM_PER_MILE * miles;
    cout << "The distance in kilometers is " << kms << endl;

    return 0;
}
```

5

Language Basics - Struble

C++ Directives (Comments)

- Comments
 - Used by humans to document programs with natural language.
 - Removed by preprocessor before source file is sent to the compiler.

Single line comment.

```
// A comment
```

Multiple line comment.

```
/*
Another comment
that is bigger.
*/
```

6

Language Basics - Struble

C++ Directives (#include)

- The `#include` directive is used to incorporate standard C++ features into your computer program.
- Examples

Directive	Meaning
<code>#include <iostream></code>	Include basic input and output features.
<code>#include <fstream></code>	Include input and output features for files.
<code>#include <cmath></code>	Include standard math functions.

7

Language Basics - Struble

C++ Directives (using namespace)

- *Namespaces* are used to identify related subprograms and data.
- They are accessed by the `using namespace` directive.
- In this class, only the `std` namespace is used to access standard C++ features. All of our programs contain the line

```
using namespace std;
```

8

Language Basics - Struble

C++ Directives (Example)

```
// This program converts miles to ...  
// From Problem Solving, Abstraction, ...  
// by Frank L. Friedman and Elliot ...  
#include <iostream>  
using namespace std;
```

9

Language Basics - Struble

C++ Identifiers

- *Identifiers* are used to name functions (subprograms) and data.
- Starts with a letter or underscore (`_`), followed by zero or more letters, digits, or underscores
- Syntax template



10

Language Basics - Struble

C++ Identifiers

- Exercise: Determine whether or not the following are identifiers.

Text	Valid/Invalid	Reason Invalid
miles		
3blindmice		
root_of_2		
hokie bird		
MoveData		
_		

11

Language Basics - Struble

C++ Identifiers

- Identifiers are *case sensitive*
- The following name different functions or data

```
PRINTTOPPORTION  
Printtopportion  
pRiNtToPpOrTiOn  
PrintTopPortion
```

Which of these is easiest to read?

12

Language Basics - Struble

C++ Identifiers (Good Programming Style)

- Always choose meaningful identifier names
 - Use `amount`, `amt`, or `totalCost`, instead of `x`, `xyzyzy`, or `tc`.
- Be consistent in spelling and capitalization.

13

Language Basics - Struble

C++ Identifiers (Keywords)

- A *keyword* or *reserved word* is an identifier reserved for use in the C++ language.
- The vocabulary of the C++ language.
- Cannot use for your own identifiers.
- Some examples (see book for entire list)

```
int      while      char      double
for      using      namespace const
```

14

Language Basics - Struble

Main Program

- Starting point for C++ programs
- A collection of sequential statements
- Syntax template

```
int main() {  
    Statement  
    ...  
}
```

15

Language Basics - Struble

Main Program (Example)

```
int main() {  
    const float KM_PER_MILE = 1.609; // 1.609 km in a mile  
    float miles,                // input: distance in miles  
          kms;                  // output: distance in kilometers  
    // Get the distance in miles  
    cout << "Enter the distance in miles: ";  
    cin >> miles;  
    // Convert the distance to kilometers and display it.  
    kms = KM_PER_MILE * miles;  
    cout << "The distance in kilometers is " << kms << endl;  
    return 0;  
}
```

16

Language Basics - Struble

Data Types

- C++ is a *typed* language
 - Data is categorized
- Everything is made up of data in four *basic* or *simple* categories
 - Integers
 - Floating point values (real numbers)
 - Character
 - Boolean

17

Language Basics - Struble

Simple Data Types (Integers)

- Positive or negative whole numbers
- Three kinds (determines range of values)
 - `short` usually `-32768` to `32767`
 - `int` usually `-2147483648` to `2147483647`
 - `long` often the same as `int` or more
- Examples

0 1000 -2179 +809754

18

Language Basics - Struble

Simple Data Types (Floating Point)

- Positive or negative decimal values
 - Some decimals values cannot be stored exactly
- Three kinds (determines range and precision of values)
 - `float` approx 1.2e-38 to 3.4e+38, 6 digits
 - `double` approx 2.2e-308 to 1.8e+308, 15 digits
 - `long double` approx 3.4e-4932 to 1.2e+4932, 18 digits
- Examples

98.6 3.1419 -3.4561E-12 3. .4

19

Language Basics - Struble

Simple Data Types (Character)

- Stores a single character value
 - Alphabetic characters, digits, etc.
 - Surround character by single quotes
- Only one kind stores 256 different values
 - `char`
- Examples

'A' '0' '%' '?' '/' '}'

- Note: `0` is not the same as `'0'`

20

Language Basics - Struble

Simple Data Types (Boolean)

- Stores logical values
 - true
 - false
- Only one kind, stores one of two values above
 - bool

21

Language Basics - Struble

Other Data Types

- C++ provides several other data types
 - Streams (input and output)
 - Strings (sequences of characters)
 - User-defined types
- Built up from simple types
- Used like other simple types

22

Language Basics - Struble

Other Data Types (Strings)

- Stores sequences of characters
- One kind
 - `string`
- Surrounded by double quotes (")
- Must include string support

```
#include <string>
```
- Examples

```
"Hello World"  "Craig Struble"
"CS1044"      "2001"
```

23

Language Basics - Struble

Variables

- A *variable* is a location in memory, identified by a name, that contains information that can change.

<u>Name</u>	<u>Address</u>	<u>Memory</u>
change	1004	7
dollars	1008	2
quarters	1012	3
dimes	1016	1

24

Language Basics - Struble

Variable Declarations

- A *variable declaration* instructs the compiler to set aside space for a variable.
 - States the type of data stored in memory
 - States the name used to refer to data
 - Must appear before variable name can be used
- Syntax template

```
DataType Identifier , Identifier ... ;
```

25

Language Basics - Struble

Variable Declarations (Examples)

```
int change;    // change in cents

// coin types
int dollars, quarters, dimes, nickels, pennies;

float miles, // distance in miles
      kms;   // distance in kilometers

string firstName; // Student's first name
```

26

Language Basics - Struble

Literal Constants

- *Literal constants* are data typed directly into a program

```
123      "Craig Struble"      0.567
'A'      true
```

27

Language Basics - Struble

Named Constants

- A *named constant* is a memory location containing data that does not change.
 - Typed information like variables
 - Must also be declared before referencing
- Syntax template

```
const DataType Identifier = LiteralConstant ;
```

28

Language Basics - Struble

Named Constants (Examples)

```
// Instructor's name
const string INSTRUCTOR = "Dr. Craig Struble";

const char BLANK = ' ';    // a single space

// value of a dollar in cents
const int ONE_DOLLAR = 100;

// An approximation of PI
const double PI = 3.1415926;
```

29

Language Basics - Struble

Variables and Named Constants (Good Programming Style)

- Variable and constant names should be meaningful
- Always use named constants instead of literal values
 - Easier to maintain
 - Easier to read
 - Constant identifiers should be all capital letters
- Requirement: A comment describing the use of the variable and constant must be included.
- Requirement: Named constants must be used at all times, except for the value 0, and for strings that are used to print out information.

30

Language Basics - Struble

Exercise

- Declare an appropriate variable or named constant for each of the following
 - The number of days in a week
 - The grade on a test
 - Using `IntegerList.data` as the only name of an input file
 - The name of a book
 - The cost of a toy in dollars and cents
 - Using the vertical bar `|` as a delimiter for input data

31

Language Basics - Struble

Executable Statements

- Variable and named constant declarations do not change the state of the computer
 - Only set up memory in the computer
- *Executable statements* change the computer state
 - Assignment statements
 - Input and Output statements

32

Language Basics - Struble

Assignment Statements

- Stores values into a variable
 - Changes the state of a variable
- An *expression* defines the value to store
 - Expression is combination of identifiers, literal constants, and operators that is evaluated
- Syntax template

```
Variable = Expression ;
```

33

Language Basics - Struble

Expressions

- The most basic expression is a literal constant
`Grade = 98;`
`President = "George Bush";`
- Another simple expression is an identifier for a variable or named constant.

```
BestGrade = Grade;  
Price = ONE_DOLLAR;  
Grade = 75;
```

Grade and
BestGrade contain
different values now.

34

Language Basics - Struble

Simple Mathematical Expressions

- C++ understands basic mathematical operators

```
Grade = 88 + 10; // 98 is stored in Grade
Payment = 1.58;
Cost = 0.97;
Change = Payment - Cost; // 0.61 is stored
kms = KM_PER_MILE * miles;
mpg = miles / gallons;
```

35

Language Basics - Struble

Updating Variables

- The same variable name can be used on the left hand side of the equals sign and in the expression on the right.
 - This is used to update the value in the variable.
- Examples

```
// add one to the number of dollars and
// update remaining change.
dollars = dollars + 1;
change = change - ONE_DOLLAR;
```

36

Language Basics - Struble

Integer Expressions

- Division works differently for expressions with only integers
 - Remainders are truncated (removed)
 - Only the integral quotient is stored
- Examples (all variables are `int` typed)

```
ratio = 3 / 4; // 0 is stored
ratio2 = 5 / 2; // 2 is stored
```

37

Language Basics - Struble

Integer Expressions

- C++ uses the percent sign `%` to calculate remainders.
- Examples

```
// Use division to calculate dollars
// and remaining change.
dollars = dollars / ONE_DOLLAR;
change = change % ONE_DOLLAR;
```

38

Language Basics - Struble

Mixing Floating Point and Integers

- Simple expressions that mix floating point values and integers convert the integer to a floating point value before evaluating.
- Examples (variables are double)

```
ratio = 5 / 2.0; // 5 becomes 5.0, 2.5 is stored
Percent = 0.50 * 100; // 50.0 is stored
Total = 50 + 7.5; // 57.5 is stored
```

39

Language Basics - Struble

Assignment Statements (Types)

- The type of the expression should conform to _____.

```
// This is an error!
int id;
id = "012-345-6789";
```

40

Language Basics - Struble

Assignment Statements (Types)

- Mixing floating point and integers is allowed, but
 - Storing floating point value in an integer variable truncates the value
 - Storing integer values in floating point variables widen the value
 - Expression is evaluated by its type rules before truncating or widening.

41

Language Basics - Struble

Assignment Statements (Type Examples)

```
int Grade;  
Grade = 91.9;    // 91 is stored  
  
float price;  
price = 2;      // 2.0 is stored  
  
double ratio;  
ratio = 5 / 2;  // 2.0 is stored
```

Why?

42

Language Basics - Struble

Assignment Statement (Exercises)

- What value is each expression?
- What value is stored in each variable?

```
// Note that the declarations precede references
// value of dollar in dollars
const float ONE_DOLLAR = 1.00;

float change;    // change in dollars
int dollars;    // number of dollars

change = 2.59;
dollars = change / ONE_DOLLAR;
change = change - dollars;
```

43

Language Basics - Struble