

## Algorithms Algorithm Analysis 1

**algorithm:** a finite set of instructions that specify a sequence of operations to be carried out in order to solve a specific problem or class of problems

An algorithm must possess the following properties:

**finiteness:** Algorithm must complete after a finite number of instructions have been executed.

**absence of ambiguity:** Each step must be clearly defined, having only one interpretation.

**definition of sequence:** Each step must have a unique defined preceding & succeeding step. The first step (start step) & last step (halt step) must be clearly noted.

**input/output:** There must be a specified number of input values, and one or more result values.

**feasibility:** It must be possible to perform each instruction.

Computer Science Dept Va Tech July 2000      Data Structures & File Management      ©2000 McQuain WD

## Algorithms vs Programs Algorithm Analysis 2

**program:** the concrete expression of an algorithm in a particular programming language

Given a problem to solve, the **design phase** produces an algorithm.

The **implementation phase** then produces a program that expresses the designed algorithm.

Computer Science Dept Va Tech July 2000      Data Structures & File Management      ©2000 McQuain WD

## Design Considerations Algorithm Analysis 3

Given a particular problem, there are typically a number of different algorithms that will solve that problem. A designer must make a rational choice among those algorithms.

Design considerations:

- to design an algorithm that is easy to understand, implement, and debug (software engineering)
- to design an algorithm that makes efficient use of the available computational resources (data structures and algorithm analysis)

We will be primarily concerned with the second area.

But, how do we measure the efficiency of an algorithm?

Note that the number of operations to be performed and the space required will depend on the number of input values that must be processed.

Computer Science Dept Va Tech July 2000      Data Structures & File Management      ©2000 McQuain WD

## Benchmarking Algorithms Algorithm Analysis 4

It is tempting to measure the efficiency of an algorithm by producing an implementation and then performing benchmarking analyses by running the program on input data of varying sizes and measuring the "wall clock" time for execution.

However:

- the program may be a poor representation of the algorithm's possibilities.
- the results will depend upon the particular characteristics of the hardware used for the benchmarking, perhaps in subtle ways.
- the choice of test data may not provide a representative sampling of the various factors that influence the algorithm's behavior

Computer Science Dept Va Tech July 2000      Data Structures & File Management      ©2000 McQuain WD

Algorithm Analysis 5

### Back of the Envelope Estimation

A common alternative is to attempt a rough, logical estimate of the number of operations or space requirements.

How many library bookcases would be required to store books totaling 1,000,000 pages?

Estimate:

# of pages per inch: \_\_\_\_\_

# of inches per shelf: \_\_\_\_\_

# of shelves per bookcase: \_\_\_\_\_

Relationship:

$$\# \text{ of bookcases} = \frac{(\# \text{ of pages per inch}) \times (\# \text{ of inches per shelf})}{\# \text{ of shelves per bookcase}}$$

Computer Science Dept Va Tech July 2000
Data Structures & File Management
©2000 McQuain WD

Algorithm Analysis 6

### Complexity Analysis

Complexity analysis is the systematic study of the cost of a computation, measured either in time units or in operations performed, or in the amount of storage space required.

The goal is to have a meaningful measure that permits comparison of algorithms and/or implementations independent of operating platform.

Complexity analysis involves two distinct phases:

- algorithm analysis: analysis of the algorithm or data structure to produce a function T(n) measuring the complexity
- order of magnitude analysis: analysis of the function T(n) to determine the general complexity category to which it belongs.

Computer Science Dept Va Tech July 2000
Data Structures & File Management
©2000 McQuain WD

Algorithm Analysis 7

### Algorithm Analysis

Algorithm analysis requires a set of rules to determine how operations are to be counted.

There is no generally accepted set of rules for algorithm analysis.

In some cases, an exact count of operations is desired; in other cases, a general approximation is sufficient.

The rules presented below are typical of those intended to produce an exact count of operations.

Computer Science Dept Va Tech July 2000
Data Structures & File Management
©2000 McQuain WD

Algorithm Analysis 8

### Exact Analysis Rules

1. We assume an arbitrary time unit.
2. Execution of one of the following operations takes time 1:
  - a) assignment operation
  - b) single I/O operations
  - c) single Boolean operations
  - d) single arithmetic operations
  - e) function return
3. Running time of a selection statement (if, switch) is the time for the condition evaluation + the maximum of the running times for the individual clauses in the selection.
4. Loop execution time is the sum, over the number of times the loop is executed, of the body time + time for the loop check and update operations, + time for the loop setup.
  - † Always assume that the loop executes the maximum number of iterations possible
5. Running time of a function call is 1 for setup + the time for any parameter calculations + the time required for the execution of the function body.

Computer Science Dept Va Tech July 2000
Data Structures & File Management
©2000 McQuain WD

### Analysis Example 1

Algorithm Analysis 9

Given:

```
for (i = 0; i < n-1; i++) {
    for (j = 0; j < i; j++) {
        array[i][j] = 0;
    }
}
```

Rules 4 and 2a: time 1 on each iteration of **outer** loop

Rules 4, 2c and 2d: time 3 on each iteration of **outer** loop

Rules 4, 2c and 2d: time 2 (on each iteration of **inner** loop)

Rule 2a: time 1 on each pass of **inner** loop

So, the total time T(n) is given by:

$$T(n) = 1 + \sum_{i=1}^{n-1} \left( 4 + \sum_{j=1}^i 3 \right) = \frac{3}{2}n^2 + \frac{5}{2}n - 3$$

Computer Science Dept Va Tech July 2000 Data Structures & File Management ©2000 McQuain WD

### Analysis Example 2

Algorithm Analysis 10

```
Sum = 0;
for (k = 1; k <= n; k = 2*k) {
    for (j = 1; j <= n; j++) {
        Sum++;
    }
}
```

Rule 2a: time 1 before loop

Rules 4 and 2a: time 1 before loop

Rules 4, 2c and 2d: time 3 on each iteration of **outer** loop

Rules 4 and 2a: time 1 on each iteration of **outer** loop

Rules 4, 2c and 2d: time 2 (on each iteration of **inner** loop)

Rule 2a: time 1 on each pass of **inner** loop

The tricky part is that the outer loop will be executed  $\log(n)$  times assuming n is a power of 2.

So, the total time T(n) is given by:

$$T(n) = 2 + \sum_{k=1}^{\log n} \left( 4 + \sum_{j=1}^n 3 \right) = 3n \log n + 4 \log n + 2$$

How does this compare to the previous result?

Computer Science Dept Va Tech July 2000 Data Structures & File Management ©2000 McQuain WD

### Why Does Complexity Matter?

Algorithm Analysis 11

Consider the following chart of some simple complexity functions:

n	log n	n	n log n	n <sup>2</sup>	n <sup>3</sup>	2 <sup>n</sup>
1	0	1	0	1	1	2.E+00
10	3	10	33	100	1000	1.E+03
20	4	20	86	400	8000	1.E+06
30	5	30	147	900	27000	1.E+09
40	5	40	213	1600	64000	1.E+12
50	6	50	282	2500	125000	1.E+15
60	6	60	354	3600	216000	1.E+18
70	6	70	429	4900	343000	1.E+21
80	6	80	506	6400	512000	1.E+24
90	6	90	584	8100	729000	1.E+27
100	7	100	664	10000	1000000	1.E+30

Computer Science Dept Va Tech July 2000 Data Structures & File Management ©2000 McQuain WD

### Running Time Estimation

Algorithm Analysis 12

Suppose we have hardware capable of executing  $10^6$  instructions per second.

How long would it take to execute an algorithm whose complexity function was:

$$T(N) = 2N^2$$

on an input of size  $N = 10^8$ ?

The total number of operations to be performed would be  $T(10^8)$ :

$$T(10^8) = 2 \times (10^8)^2 = 2 \times 10^{16}$$

The total number of seconds required would be given by  $T(10^8)/10^6$  so:

$$\text{Running Time} = 2 \times 10^{16} / 10^6 = 2 \times 10^{10}$$

The number of seconds/day is 86,400 so this is about 231,480 days (634 years).

Computer Science Dept Va Tech July 2000 Data Structures & File Management ©2000 McQuain WD

Algorithm Analysis 13

Running Time Estimation

What if we used an algorithm whose complexity function was:

$$T(N) = N \log N$$

on an input of size  $N = 10^8$ ?

The total number of operations to be performed would be  $T(10^8)$ :

$$T(10^8) = (10^8) \log(10^8) \approx 2.66 \times 10^9$$

The total number of seconds required would be given by  $T(10^8)/10^6$  so:

$$\text{Running Time} \approx 2.66 \times 10^9 / 10^6 = 2.66 \times 10^3$$

This is about 44.33 minutes.

Computer Science Dept Va Tech July 2000      Data Structures & File Management      ©2000 McQuain WD

Algorithm Analysis 14

Maximum Problem Size

Another way of looking at this is to ask, what is the largest problem size that can be handled in a given amount of time, given a complexity function for an algorithm and the hardware speed?

Assuming the same hardware speed as before, what's the largest input size that could be handled in one hour, if the complexity function is once again:

$$T(N) = 2N^2$$

The total number of seconds required would again be given by  $T(N)/10^6$  so we're asking what is the maximum value of  $N$  for which:

$$\frac{T(N)}{10^6} \leq 3600 \quad \text{or} \quad 2N^2 \leq 3600 \times 10^6$$

This yields  $N \leq 42,426$

Computer Science Dept Va Tech July 2000      Data Structures & File Management      ©2000 McQuain WD

Algorithm Analysis 15

Maximum Problem Size

Applying the same logic, with the complexity function:  $T(N) = N \log N$

The total number of seconds required would be  $T(N)/10^6$  so we're asking what is the maximum value of  $N$  for which:

$$N \log N \leq 3600 \times 10^6$$

Solving for equality (Newton's Method) yields about  $N \leq 133,000,000$

The first moral is that for large  $N$ , the complexity function matters.

The minor first moral is that for large  $N$ ,  $N \log(N)$  is a LOT faster than  $N^2$ .

The second moral involves applying this logic to the question of hardware speedup...

Computer Science Dept Va Tech July 2000      Data Structures & File Management      ©2000 McQuain WD

Algorithm Analysis 16

Faster Hardware?

If we apply the same analysis, assuming that we can now find hardware that is, say, 100 times faster than the previous hardware (so  $10^8$  operations per second), the results are revealing:

$T(N)$	time for $N = 10^8$	max $N$ in 1 hour
$N \log(N)$	4433 minutes	~10 billion
$2N^2$	6.34 years	~424,264

Comparing to the earlier results, speeding up the hardware by a factor of 100:

- reduces time for same sized problem by a factor of 100 in both cases, so the relative advantage of the  $N \log(N)$  algorithm is retained
- increases the max problem size by a factor of 10 for the  $2N^2$  case, versus a factor of almost 75 for the  $N \log(N)$  case

Computer Science Dept Va Tech July 2000      Data Structures & File Management      ©2000 McQuain WD