

Chapter 2

Using the Operating system

Last lecture review

- Resources
 - Resource abstraction
 - Resource sharing/isolation
- Terminology
 - Multiprogramming
 - Multitasking
 - Concurrency

Last lecture review... ctd.

- Different OS strategies
 - batch
 - timesharing
 - personal computers
 - real time systems
 - network of computers

Chapter 2: Using the OS

Resource Descriptors


- The OS implements Abstraction of each of this
 - Unit of Computation is a 'process'
 - Unit of information storage is a 'file'
- For each resource abstraction (file, memory, processor), OS maintains a resource descriptor
- Resource descriptor:
 - Identify resources
 - Current state
 - What process it is associated with, if it is allocated
 - Number and identity of available units

Resource Descriptors...

- File descriptor:
 - File name
 - File type (Sequential, Indexed, ...)
 - Owner
 - State (Open, Closed)
 - Extents (mapping to the physical storage)
- Process descriptor
 - Object program (Program text)
 - Data segment
 - Process Status Word (PSW) – executing, waiting, ready
 - Resources acquired

Process & Process Descriptor

Contents of a descriptor maps directly to the Abstract Machine provided by the OS




Process

- 3 units of computations:
 - Process
 - Thread
 - Object
- Process: 'heavy-weight' process
 - OS overhead to **create and maintain descriptor** is expensive
- Thread: "light-weight" process
 - OS maintains minimal internal state information
- Objects: 'heavy-weight' process
 - Instantiation of a class

CS 3204: Operating Systems

8

One Program / Multiple Instantiations



Example


```
int main() {
    int a;
    cin >> a;
    switch (a) {
        case 1: do_fun1(); break;
        case 2: do_fun2(); break;
        case 3: do_fun3(); break;
    }
}
```

What happens if three users on an UNIX machine simultaneously run this program with different values of *a*?

CS 3204: Operating Systems

10

UNIX Processes




Thread

- Thread: light-weight process
 - OS maintains minimal internal state information
- Usually instantiated from a process
- Each thread has its OWN unique descriptor
 - Data, Thread Status Word (TSW)
- SHARES with the parent process (and other threads)
 - Program text
 - Resources
 - Parent process data segment

CS 3204: Operating Systems

12


Thread ...



CS 3204: Operating Systems

13

Threads... example



CS 3204: Operating Systems

14

Objects

- Objects:
 - Derived from SIMULA '67
 - Defined by classes
 - Autonomous
- Classes
 - Abstract Data Types (ADT)
 - Private variables
- An instantiation of a class is an Object

CS 3204: Operating Systems

15

Objects

- Objects are heavy-weight processes
 - have full descriptors
- Object communicate via Message passing
- OOP:
 - Appeals to intuition
 - Only recently viable
 - Overhead of instantiation and communication

CS 3204: Operating Systems

16

Computational Environment

- When OS is started up
 - Machine abstraction created
 - Hides hardware from User and Application
 - Instantiates processes that serve as the user interface or "Shell"
 - Shell (UI) instantiates user processes
- Consider UNIX:

UNIX → getty → shell → user process
- What are the advantages & disadvantages of so many processes just to execute a program ?

CS 3204: Operating Systems

17

Advantages & Disadvantages

- Advantages...
 - Each process (UNIX, getty, shell, ...) has its own 'protected' execution environment
 - If child process fails from fatal errors, no (minimal) impact on parent process
- Disadvantages...
 - OS overhead in
 - Maintaining process status
 - Context switching

CS 3204: Operating Systems

18

Process Creation – UNIX fork()

- Creates a child process that is a **'Thread'**
- Child process is duplicate (initially) of the parent process – except for the process id
- Shares access to all resources allocated at the time of instantiation and Text
- Has duplicate copy of data space BUT is its own copy and it can modify only its own copy

If a child Process requests / receives a resource, does the parent or other children have access to it?

CS 3204: Operating Systems

19

Process creation - fork()... example

```
int pidValue;
...
pidValue = fork();           /* creates a child process */
if(pidValue == 0) {
    /* pidValue is ZERO for child, nonzero for parent */
    /* The child executes this code concurrently with Parent */
    childPlay(..);           /* A locally-liked procedure */
    exit(0);                 /* Terminate the child */
}
/* The Parent executes this code concurrently with the child */
...
wait(..);                   /* Parent waits for Child's to terminate */
```


UNIX process creation : fork() facility

CS 3204: Operating Systems

20

Process creation – Unix fork()...

- Child/Parent code executed based on the pid value in "local" data space
 - For parent process, pid value returned is that of the *child* (non-zero)
 - For child process, pid value returned is 0
- pidvalue returned to parent process is non-Zero
- Therefore, fork() creates a new LW process



CS 3204: Operating Systems

21

Process Creation – Unix exec()

- Turns LW process into autonomous HW process
- fork()
 - Creates new process
- exec()
 - Brings in new program to be executed by that process
 - New text, data, stack, resources, PSW, etc. BUT using same (expanded) process descriptor entries

In effect, the "exec'ed" code overlays "exec'ing" code

CS 3204: Operating Systems

22

Process creation – exec()... example

```
int pid;
...
/* Setup the argv array for the child */
...
if((pid = fork()) == 0) {     /* Create a child */
    /* The child process executes changes to its own program */
    execve(new_program.out, argv, 0);
    /*Only return from an execve call if it fails */
    printf("Error in execve");
    exit(0);                 /* Terminate the child */
}
/* Parent executes this code */
...
wait(..);                   /* Parent waits for Child's to terminate */
```

UNIX process creation: exec() facility

CS 3204: Operating Systems

23