


## Chapter 4: Threads



## Chapter 4: Threads

- Overview
- Multithreading Models
- Threading Issues
- Pthreads
- Windows XP Threads
- Linux Threads
- Java Threads





- ## Benefits
- Responsiveness
  - Resource Sharing
  - Economy
  - Utilization of MP Architectures
- Operating System Concepts 4.4 Silberschatz, Galvin and Gagne ©2005



## User Threads

- Thread management done by user-level threads library
- Three primary thread libraries:
  - POSIX Pthreads
  - Win32 threads
  - Java threads



## Kernel Threads

- Supported by the Kernel
- Examples
  - Windows XP/2000
  - Solaris
  - Linux
  - Tru64 UNIX
  - Mac OS X





## Multithreading Models


- Many-to-One
- One-to-One
- Many-to-Many



## Many-to-One

- Many user-level threads mapped to single kernel thread
- Examples:
  - Solaris Green Threads
  - GNU Portable Threads






- ## One-to-One
- Each user-level thread maps to kernel thread
  - Examples
    - Windows NT/XP/2000
    - Linux
    - Solaris 9 and later
- Operating System Concepts 4.10 Silberschatz, Galvin and Gagne ©2005




## One-to-one Model




## Many-to-Many Model

- Allows many user level threads to be mapped to many kernel threads
- Allows the operating system to create a sufficient number of kernel threads
- Solaris prior to version 9
- Windows NT/2000 with the *ThreadFiber* package





- ## Two-level Model
- Similar to M:M, except that it allows a user thread to be **bound** to kernel thread
  - Examples
    - IRIX
    - HP-UX
    - Tru64 UNIX
    - Solaris 8 and earlier
- Operating System Concepts 4.14 Silberschatz, Galvin and Gagne ©2005



- ## Threading Issues
- Semantics of **fork()** and **exec()** system calls
  - Thread cancellation
  - Signal handling
  - Thread pools
  - Thread specific data
  - Scheduler activations
- Operating System Concepts 4.16 Silberschatz, Galvin and Gagne ©2005





## Semantics of fork() and exec()

- Does **fork()** duplicate only the calling thread or all threads?



## Thread Cancellation

- Terminating a thread before it has finished
- Two general approaches:
  - **Asynchronous cancellation** terminates the target thread immediately
  - **Deferred cancellation** allows the target thread to periodically check if it should be cancelled





## Signal Handling

- Signals are used in UNIX systems to notify a process that a particular event has occurred
- A **signal handler** is used to process signals
  1. Signal is generated by particular event
  2. Signal is delivered to a process
  3. Signal is handled
- Options:
  - Deliver the signal to the thread to which the signal applies
  - Deliver the signal to every thread in the process
  - Deliver the signal to certain threads in the process
  - Assign a specific thread to receive all signals for the process



## Thread Pools

- Create a number of threads in a pool where they await work
- Advantages:
  - Usually slightly faster to service a request with an existing thread than create a new thread
  - Allows the number of threads in the application(s) to be bound to the size of the pool





## Thread Specific Data

- Allows each thread to have its own copy of data
- Useful when you do not have control over the thread creation process (i.e., when using a thread pool)



## Scheduler Activations

- Both M:M and Two-level models require communication to maintain the appropriate number of kernel threads allocated to the application
- Scheduler activations provide **upcalls** - a communication mechanism from the kernel to the thread library
- This communication allows an application to maintain the correct number kernel threads





## Pthreads

- A POSIX standard (IEEE 1003.1c) API for thread creation and synchronization
- API specifies behavior of the thread library, implementation is up to development of the library
- Common in UNIX operating systems (Solaris, Linux, Mac OS X)



## Windows XP Threads

- Implements the one-to-one mapping
- Each thread contains
  - A thread id
  - Register set
  - Separate user and kernel stacks
  - Private data storage area
- The register set, stacks, and private storage area are known as the **context** of the threads
- The primary data structures of a thread include:
  - ETHREAD (executive thread block)
  - KTHREAD (kernel thread block)
  - TEB (thread environment block)





## Linux Threads

- Linux refers to them as *tasks* rather than *threads*
- Thread creation is done through **clone()** system call
- **clone()** allows a child task to share the address space of the parent task (process)




## Java Threads

- Java threads are managed by the JVM
- Java threads may be created by:
  - Extending Thread class
  - Implementing the Runnable interface



## Java Thread States



## End of Chapter 4

