

An algorithm may be expressed in a number of ways:

<i>natural language:</i>	usually verbose and ambiguous
<i>flow charts:</i>	avoid most (if not all) issues of ambiguity; difficult to modify w/o specialized tools; largely standardized
<i>pseudo-code:</i>	also avoids most issues of ambiguity; vaguely resembles common elements of programming languages; no particular agreement on syntax
<i>programming language:</i>	tend to require expressing low-level details that are not necessary for a high-level understanding

acquire data (input)

some means of reading values from an external source; most algorithms require data values to define the specific problem (e.g., coefficients of a polynomial)

computation

some means of performing arithmetic computations, comparisons, testing logical conditions, and so forth...

selection

some means of choosing among two or more possible courses of action, based upon initial data, user input and/or computed results

iteration

some means of repeatedly executing a collection of instructions, for a fixed number of times or until some logical condition holds

report results (output)

some means of reporting computed results to the user, or requesting additional data from the user

simple variables

Some means hold a simple value, like the number of elements in a list.

Generally, we do not need to be too careful about the notion of types, but it is useful to distinguish between variables that hold numbers, character strings, and logical values.

Variables must be given names and those names should be descriptive. For readability, we will not allow whitespace in names.

Variables must be declared and given a type before they are used:

```
number WidthInFeet
```

```
string NameOfBook
```

```
logical valueWasEven
```

Logical variables can have the values `true` and `false`, which are considered part of the pseudo-language vocabulary and should not be used as variable names.

list variables

Some means to refer to a collection of simple values as a unit, and to also refer to individual values within the collection.

Mathematically we can think of this as a subscripted list.

For convenience we often adopt a slightly different notation;

for a list named `Scores`, `Scores[i]` refers to the *i*-th element in the list;

we number elements starting at 1.

List declarations look like:

```
list number Scores
```

```
list string bookTitles
```

(We don't specify a size for the list, as we would do for an array in most programming languages... that's not necessary for stating an algorithm.)

acquiring data

get <variable>

Obtain a value for the specified variable; no source is specified; this could stand for receiving a parameter to the algorithm, for reading from a file or other device, or even for prompting a user for interactive input.

reporting results

display <variable>

Report the value of the variable in some manner; no destination is specified; this could stand for returning a value from the algorithm, for writing to a file or other device, or for displaying to a console window.

computation

Use common mathematical notation, slightly adjusted to reflect keyboard limitations.

Any common mathematical and logical expressions can be formed using:

+, -	addition, subtraction
*, /	multiplication, division
^	exponentiation, e.g, x^y means x to the power y
NOT, !	logical negation
AND, &&	logical and
OR,	logical or
(,)	grouping

The default precedence is defined by the ordering above (low to high precedence).

When in doubt, add parenthesis for clarity.

computation (continued)

In addition, any standard mathematical functions can be used, with suitable notation:

$|x - y|$
 $\sin(\text{theta})$

Since the basic precedence rules cannot cover all such cases, if there's any doubt about clarity, use parentheses to clarify.

For setting the value of a variable from an expression, we will use

`<variable> := <expression>`

We must have some definition of the order of operations, unless we want to write lots of parentheses. The ordering used here is slightly adapted from the precedence rules for the C language:

		<i>highest</i>
(,)	grouping	
NOT, !	logical negation	
^	exponentiation	
*, /	multiplication, division (parenthesize if both are chained)	
+, -	addition, subtraction (parenthesize if both are chained)	
AND, &&	logical and	
OR,	logical or	
		<i>lowest</i>

Remember, when in doubt, add parenthesis for clarity.

halting the algorithm

halt

Some means to say "stop now".

May be used at any point within the algorithm.

comments

In some cases, it is useful to add comments to the (human) reader;
there must be some way to distinguish comments from the algorithm itself;
we'll use the convention that anything following the symbol ' #' on a line is a
comment

selection

```
if <condition>  
    # one or more statements  
endif
```

```
if <condition>  
    # one or more statements  
else  
    # one or more statements  
endif
```

A *condition* may be an algebraic comparison of two variables, such as

```
numberOfZeros < 100
```

or a logical concept, such as

```
haveNotSeenAZero
```

```
if x <= y  
    diff = y - x  
endif
```

```
if x <= y  
    diff = y - x  
else  
    diff = x - y  
endif
```

iteration

```
while <condition>
```

```
    # one or more statements
```

```
endwhile
```

```
while x <= y
    x := 2 * x
endwhile
```

```
while true AND y >= 0
    if ( x > y )
        display iter
        halt
    endif
    iter := iter + 1
    y := y - x
endwhile
```