

# Computing a Topological Ordering

Topological Ordering 1

A topological ordering of the vertices of  $G$  may be obtained by performing a generalized depth-first traversal.


We build a list  $L$  of vertices of  $G$ .

Begin with vertex 0.

Do a depth-first traversal, marking each visited vertex and adding a vertex to  $L$  only if it has no unmarked successors.

When the traversal adds its starting vertex to  $L$ , pick the first unmarked vertex as a new starting point and perform another depth-first traversal.


Stop when all vertices have been marked.




# Topological Ordering

## Topological Ordering 2

Suppose that  $G$  is a directed graph which contains no directed cycles:




Then, a topological ordering of the vertices in  $G$  is a sequential listing of the vertices such that for any pair of vertices,  $v$  and  $w$  in  $G$ , if  $(v,w)$  is an edge in  $G$  then  $v$  precedes  $w$  in the sequential listing.



# Depth-First Traversal Trace

Initially we probe from 0 to 1 to 7, which has no successors.



L: 7

Next the recursion backs out to 1, which has no unmarked successors.


L: 1 7

Next the recursion backs out to 0, and probes to 5, which has no successors.

L: 5 1 7

Next the recursion backs out to 0 again, which now has no unmarked successors.

L: 0 5 1 7



# Depth-First Traversal Trace

Topological Ordering 4

Now we pick the first unmarked vertex, 2, and continue the process. 2 has no successors.



L: 2 0 5 1 7

Next start with vertex 3, and probe to 4 and then to 8, which has no unmarked successors.

L: 8 2 0 5 1 7

The recursion backs out, adding vertices 4 and 3.

L: 3 4 8 2 0 5 1 7




Next we pick the unmarked vertex, 6, which has no unmarked successors.

L: 6 3 4 8 2 0 5 1 7

Next we pick the unmarked vertex, 9, which has no unmarked successors.

L: 9 6 3 4 8 2 0 5 1 7


At this point, all the vertices have been marked and the algorithm terminates.




# Multiple Topological Orderings

Topological Ordering 6

There is usually more than one topological ordering for a graph. Choosing a different rule for picking the starting vertices may yield a different ordering.



Also, a generalized breadth-first traversal can be used instead. For the graph above, a breadth-first traversal yields the ordering:



Applications of topological orderings are relatively common...

- prerequisite relationships among courses
- glossary of technical terms whose definitions involve dependencies
- organization of topics in a book or a course